



X Close this window

Common Name: LPS THERMAPLEX MULTI-PURPOSE BEARING GREASE, 70614, 70606, 70635, 70655

Manufacturer: ITW PRO BRANDS

SDS Revision Date: 9/19/2016

SDS Format: GHS-US

Item Number(s): 49CT30, 4UJ42

Manufacturer Model Number(s):

### **SDS Table of Contents**

Click the desired link below to jump directly to that section in the SDS.

1. IDENTIFICATION

2. HAZARD(S) IDENTIFICATION

3. COMPOSITION/INFORMATION ON INGREDIENTS

4. FIRST-AID MEASURES

5. FIRE-FIGHTING MEASURES

6. ACCIDENTAL RELEASE MEASURES

7. HANDLING AND STORAGE

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

9. PHYSICAL AND CHEMICAL PROPERTIES

10. STABILITY AND REACTIVITY

11. TOXICOLOGICAL INFORMATION

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

14. TRANSPORT INFORMATION

15. REGULATORY INFORMATION

16. OTHER INFORMATION, INCLUDING DATE OF

LPS(R\*)

SAFETY DATA SHEET

# 1. IDENTIFICATION

A top

PRODUCT IDENTIFIER: LPS(R\*) THERMAPLEX(R\*) MULTI-PURPOSE BEARING GREASE

OTHER MEANS OF IDENTIFICATION:

PART NUMBER: 70614, 70606, 70635, 70655

RECOMMENDED USE:

A LUBRICATING GREASE INTENDED FOR ALL TYPES OF INDUSTRIAL BEARING APPLICATIONS.

RECOMMENDED RESTRICTIONS: NONE KNOWN.

MANUFACTURER/IMPORTER/SUPPLIER/DISTRIBUTOR INFORMATION:

MANUFACTURER:

COMPANY NAME: ITW PRO BRANDS

ADDRESS:

4647 HUGH HOWELL RD. TUCKER, GA 30084

COUNTRY: (U.S.A.)

TEL: +1 770-243-8800

IN CASE OF EMERGENCY:

1-800-424-9300 (INSIDE U.S.) +001 703-527-3887 (OUTSIDE U.S.)

WEBSITE: WWW.LPSLABS.COM

E-MAIL: LPSSDS@ITWPROBRANDS.COM

## 2. HAZARD(S) IDENTIFICATION

PHYSICAL HAZARDS: NOT CLASSIFIED.

HEALTH HAZARDS:

SERIOUS EYE DAMAGE/EYE IRRITATION: CATEGORY 2A

ENVIRONMENTAL HAZARDS: NOT CLASSIFIED.

OSHA DEFINED HAZARDS: NOT CLASSIFIED.

LABEL ELEMENTS: EXCLAMATION MARK

SIGNAL WORD: WARNING

HAZARD STATEMENT: CAUSES SERIOUS EYE IRRITATION.

PRECAUTIONARY STATEMENT:

PREVENTION:

WASH THOROUGHLY AFTER HANDLING. WEAR EYE PROTECTION/FACE PROTECTION.

RESPONSE:

IF IN EYES:

RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.

STORAGE: STORE AWAY FROM INCOMPATIBLE MATERIALS.

DISPOSAL:

DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS.

HAZARD(S) NOT OTHERWISE CLASSIFIED (HNOC): NONE KNOWN.

SUPPLEMENTAL INFORMATION:

23.02% OF THE MIXTURE CONSISTS OF INGREDIENT(S) OF UNKNOWN TOXICITY.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

MIXTURES:

CHEMICAL NAME

COMMON NAME AND CAS NUMBER % SYNONYMS

HEAVY HYDROTREATED NAPHTHENIC

64742-52-5 30 - 70

🛆 top

△ top

DISTILLATES (PETROLEUM)

DISTILLATES PETROLEUM HYDROTREATED HEAVY	64742-54-7	10 - 30
CALCIUM CARBONATE	471-34-1	1 - 10
ANTIMONY, TRIS(DIPENTYL-CARBAMODITHIOATO-S,S')-, (OC-6-11)-	15890-25-2	1 - 4
ZINC DIALKYLDITHO PHOSPHATE	68649-42-3	<2

## 4. FIRST-AID MEASURES

A top

### INHALATION:

MOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. CALL A PHYSICIAN IF SYMPTOMS DEVELOP OR PERSIST.

### SKIN CONTACT:

WASH OFF WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS AND PERSISTS.

#### EYE CONTACT:

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS AND PERSISTS.

INGESTION: RINSE MOUTH THOROUGHLY. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED: SEVERE EYE IRRITATION. SYMPTOMS MAY INCLUDE STINGING, TEARING, REDNESS, SWELLING, AND BLURRED VISION.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: PROVIDE GENERAL SUPPORTIVE MEASURES AND TREAT SYMPTOMATICALLY. KEEP VICTIM UNDER OBSERVATION.

### 5. FIRE-FIGHTING MEASURES

A top

SUITABLE EXTINGUISHING MEDIA: WATER FOG. FOAM. DRY CHEMICAL POWDER. CARBON DIOXIDE (CO2).

UNSUITABLE EXTINGUISHING MEDIA: DO NOT USE WATER JET AS AN EXTINGUISHER, AS THIS WILL SPREAD THE FIRE.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: DURING FIRE, GASES HAZARDOUS TO HEALTH MAY BE FORMED.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS: SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING MUST BE WORN IN CASE OF FIRE.

FIRE FIGHTING EQUIPMENT/INSTRUCTIONS: USE WATER SPRAY TO COOL UNOPENED CONTAINERS.

## SPECIFIC METHODS:

USE STANDARD FIREFIGHTING PROCEDURES AND CONSIDER THE HAZARDS OF OTHER INVOLVED MATERIALS.

GENERAL FIRE HAZARDS: NO UNUSUAL FIRE OR EXPLOSION HAZARDS NOTED.

### 6. ACCIDENTAL RELEASE MEASURES



PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: KEEP UNNECESSARY PERSONNEL AWAY. KEEP PEOPLE AWAY FROM AND UPWIND OF SPILL/LEAK. WEAR APPROPRIATE PROTECTIVE EQUIPMENT AND CLOTHING DURING CLEAN-UP. ENSURE ADEQUATE VENTILATION. LOCAL AUTHORITIES SHOULD BE ADVISED IF SIGNIFICANT SPILLAGES CANNOT BE CONTAINED. USE PERSONAL PROTECTION RECOMMENDED IN SECTION 8 OF THE SDS.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: PREVENT ENTRY INTO WATERWAYS, SEWER, BASEMENTS OR CONFINED AREAS.

#### LARGE SPILLS:

STOP THE FLOW OF MATERIAL, IF THIS IS WITHOUT RISK. DIKE THE SPILLED MATERIAL, WHERE THIS IS POSSIBLE. COVER WITH PLASTIC SHEET TO PREVENT SPREADING. ABSORB IN VERMICULITE, DRY SAND OR EARTH AND PLACE INTO CONTAINERS. FOLLOWING PRODUCT RECOVERY, FLUSH AREA WITH WATER.

#### SMALL SPILLS:

WIPE UP WITH ABSORBENT MATERIAL (E.G. CLOTH, FLEECE). CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION.

NEVER RETURN SPILLS TO ORIGINAL CONTAINERS FOR RE-USE. FOR WASTE DISPOSAL, SEE SECTION 13 OF THE SDS.

#### ENVIRONMENTAL PRECAUTIONS:

AVOID DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND.

## 7. HANDLING AND STORAGE

A top

PRECAUTIONS FOR SAFE HANDLING: WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: STORE IN ORIGINAL TIGHTLY CLOSED CONTAINER. STORE AWAY FROM INCOMPATIBLE MATERIALS (SEE SECTION 10 OF THE SDS).

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

A top

OCCUPATIONAL EXPOSURE LIMITS:

US. OSHA TABLE Z-1 LIMITS FOR AIR CONTAMINANTS (29 CFR 1910.1000):

COMPONENTS

TYPE VALUE

FORM

HEAVY HYDROTREATED

PEL 5 MG/M3

MIST.

NAPHTHENIC DISTILLATES 2000 MG/M3

500 PPM

(PETROLEUM) (CAS 64742-52-5)

US. ACGIH THRESHOLD LIMIT VALUES:

COMPONENTS

TYPE VALUE

FORM

HEAVY HYDROTREATED

TWA 5 MG/M3

INHALABLE FRACTION.

NAPHTHENIC DISTILLATES (PETROLEUM)

(CAS 64742-52-5)

US. NIOSH: POCKET GUIDE TO CHEMICAL HAZARDS

COMPONENTS TYPE VALUE FORM

CALCIUM CARBONATE TWA 5 MG/M3 RESPIRABLE.

(CAS 471-34-1) 10 MG/M3 TOTAL

HEAVY HYDROTREATED STEL 10 MG/M3 MIST. NAPHTHENIC DISTILLATES TWA 5 MG/M3 MIST.

(PETROLEUM)

(CAS 64742-52-5)

## BIOLOGICAL LIMIT VALUES:

NO BIOLOGICAL EXPOSURE LIMITS NOTED FOR THE INGREDIENT (S).

### EXPOSURE GUIDELINES:

OCCUPATIONAL EXPOSURE LIMITS ARE NOT RELEVANT TO THE CURRENT PHYSICAL FORM OF THE PRODUCT.

### APPROPRIATE ENGINEERING CONTROLS:

GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES PER HOUR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS. IF APPLICABLE, USE PROCESS ENCLOSURES, LOCAL EXHAUST VENTILATION, OR OTHER ENGINEERING CONTROLS TO MAINTAIN AIRBORNE LEVELS BELOW RECOMMENDED EXPOSURE LIMITS. IF EXPOSURE LIMITS HAVE NOT BEEN ESTABLISHED, MAINTAIN AIRBORNE LEVELS TO AN ACCEPTABLE LEVEL. PROVIDE EYEWASH STATION.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION: WEAR SAFETY GLASSES WITH SIDE SHIELDS (OR GOGGLES).

#### SKIN PROTECTION:

### HAND PROTECTION:

WEAR APPROPRIATE CHEMICAL RESISTANT GLOVES. SUITABLE GLOVES CAN BE RECOMMENDED BY THE GLOVE SUPPLIER.

OTHER: WEAR SUITABLE PROTECTIVE CLOTHING.

### RESPIRATORY PROTECTION:

IN CASE OF INSUFFICIENT VENTILATION, WEAR SUITABLE RESPIRATORY EQUIPMENT.

### THERMAL HAZARDS:

WEAR APPROPRIATE THERMAL PROTECTIVE CLOTHING, WHEN NECESSARY.

## GENERAL HYGIENE CONSIDERATIONS:

ALWAYS OBSERVE GOOD PERSONAL HYGIENE MEASURES, SUCH AS WASHING AFTER HANDLING THE MATERIAL AND BEFORE EATING, DRINKING, AND/OR SMOKING. ROUTINELY WASH WORK CLOTHING AND PROTECTIVE EQUIPMENT TO REMOVE CONTAMINANTS.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

A top

#### APPEARANCE:

PHYSICAL STATE: SOLID.

FORM: PASTE.

COLOR: BLUE.

ODOR: HYDROCARBON-LIKE.

ODOR THRESHOLD: NOT AVAILABLE.

PH: NOT APPLICABLE.

MELTING POINT/FREEZING POINT: NOT AVAILABLE.

INITIAL BOILING POINT AND BOILING RANGE: NOT AVAILABLE.

FLASH POINT: 400.0 DEG. F (204.4 DEG. C) CLEVELAND OPEN CUP

EVAPORATION RATE: NOT AVAILABLE.

FLAMMABILITY (SOLID, GAS): NOT APPLICABLE.

UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:

FLAMMABILITY LIMIT - LOWER (%): NOT AVAILABLE. FLAMMABILITY LIMIT - UPPER (%): NOT AVAILABLE.

EXPLOSIVE LIMIT - LOWER (%): NOT APPLICABLE. EXPLOSIVE LIMIT - UPPER (%): NOT APPLICABLE.

VAPOR PRESSURE: <0.13 KPA

VAPOR DENSITY: <1 (AIR = 1)

RELATIVE DENSITY: 0.87, 7.506 (LBS/GAL) @ 15 DEG. C

SOLUBILITY (IES):

SOLUBILITY (WATER): NOT AVAILABLE.

PARTITION COEFFICIENT (N-OCTANOL/WATER): NOT AVAILABLE.

AUTO-IGNITION TEMPERATURE: NOT AVAILABLE.

DECOMPOSITION TEMPERATURE: NOT AVAILABLE.

VISCOSITY: NOT AVAILABLE.

OTHER INFORMATION: VOC: 1% W/W ASTM D-972

## 10. STABILITY AND REACTIVITY

REACTIVITY:

THE PRODUCT IS STABLE AND NON-REACTIVE UNDER NORMAL CONDITIONS OF USE, STORAGE AND TRANSPORT.

CHEMICAL STABILITY: MATERIAL IS STABLE UNDER NORMAL CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS: HAZARDOUS POLYMERIZATION DOES NOT OCCUR.

CONDITIONS TO AVOID:

HEAT, FLAMES AND SPARKS. CONTACT WITH INCOMPATIBLE MATERIALS.

INCOMPATIBLE MATERIALS: STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON OXIDES.

## 11. TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE:

Z \ top

A top

INHALATION: NO ADVERSE EFFECTS DUE TO INHALATION ARE EXPECTED.

SKIN CONTACT:

FREQUENT OR PROLONGED CONTACT MAY DEFAT AND DRY THE SKIN, LEADING TO DISCOMFORT AND DERMATITIS.

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION.

INGESTION:

MAY CAUSE DISCOMFORT IF SWALLOWED. HOWEVER, INGESTION IS NOT LIKELY TO BE A PRIMARY ROUTE OF OCCUPATIONAL EXPOSURE.

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL

CHARACTERISTICS:

SEVERE EYE IRRITATION. SYMPTOMS MAY INCLUDE STINGING, TEARING, REDNESS, SWELLING, AND BLURRED VISION. EXPOSURE MAY CAUSE TEMPORARY IRRITATION, REDNESS, OR DISCOMFORT.

INFORMATION ON TOXICOLOGICAL EFFECTS:

ACUTE TOXICITY:

EXPECTED TO BE A LOW HAZARD FOR USUAL INDUSTRIAL OR COMMERCIAL HANDLING BY TRAINED PERSONNEL.

COMPONENTS

SPECIES

TEST RESULTS

CALCIUM CARBONATE (CAS 471-34-1):

ACUTE:

DERMAL:

LD50

RAT

>2000 MG/KG, 24 HOURS

ORAL:

LD50

RAT

>2000 MG/KG

DISTILLATES PETROLEUM HYDROTREATED HEAVY (CAS 64742-54-7):

ACUTE:

DERMAL:

LD50

RABBIT

>2000 MG/KG

INHALATION:

LC50

RAT

>3.9 MG/L, 4 HOURS

ORAL:

LD50

RAT

>2000 MG/KG

HEAVY HYDROTREATED NAPHTHENIC DISTILLATES (PETROLEUM) (CAS 64742-52-5):

ACUTE:

DERMAL:

LD50

RABBIT

>2000 MG/KG

INHALATION:

LC50

RAT

>3.9 MG/L, 4 HOURS

ORAL:

SKIN CORROSION/IRRITATION:

PROLONGED SKIN CONTACT MAY CAUSE TEMPORARY IRRITATION.

SERIOUS EYE DAMAGE/EYE IRRITATION: CAUSES SERIOUS EYE IRRITATION.

RESPIRATORY OR SKIN SENSITIZATION:

RESPIRATORY SENSITIZATION: NOT A RESPIRATORY SENSITIZER.

SKIN SENSITIZATION:

THIS PRODUCT IS NOT EXPECTED TO CAUSE SKIN SENSITIZATION.

GERM CELL MUTAGENICITY:

NO DATA AVAILABLE TO INDICATE PRODUCT OR ANY COMPONENTS PRESENT AT GREATER THAN 0.1% ARE MUTAGENIC OR GENOTOXIC.

CARCINOGENICITY:

THIS PRODUCT IS NOT CONSIDERED TO BE A CARCINOGEN BY IARC, ACGIH, NTP, OR OSHA.

ACGIH CARCINOGENS:

HEAVY HYDROTREATED NAPHTHENIC DISTILLATES (PETROLEUM) (CAS 64742-52-5): A2 SUSPECTED HUMAN CARCINOGEN.

A4 NOT CLASSIFIABLE AS A HUMAN CARCINOGEN.

IARC MONOGRAPHS. OVERALL EVALUATION OF CARCINOGENICITY: NOT LISTED.

OSHA SPECIFICALLY REGULATED SUBSTANCES (29 CFR 1910.1001-1050): NOT REGULATED.

US. NATIONAL TOXICOLOGY PROGRAM (NTP) REPORT ON CARCINOGENS:

HEAVY HYDROTREATED NAPHTHENIC DISTILLATES (PETROLEUM) (CAS 64742-52-5): KNOWN TO BE HUMAN CARCINOGEN.

REPRODUCTIVE TOXICITY:

THIS PRODUCT IS NOT EXPECTED TO CAUSE REPRODUCTIVE OR DEVELOPMENTAL EFFECTS.

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE: NOT CLASSIFIED.

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE: NOT CLASSIFIED.

ASPIRATION HAZARD: NOT LIKELY, DUE TO THE FORM OF THE PRODUCT.

CHRONIC EFFECTS: PROLONGED INHALATION MAY BE HARMFUL.

FURTHER INFORMATION:

THIS PRODUCT HAS NO KNOWN ADVERSE EFFECT ON HUMAN HEALTH.

### 12. ECOLOGICAL INFORMATION

ECOTOXICITY:

THE PRODUCT IS NOT CLASSIFIED AS ENVIRONMENTALLY HAZARDOUS. HOWEVER, THIS DOES NOT EXCLUDE THE POSSIBILITY THAT LARGE OR FREQUENT SPILLS CAN HAVE A HARMFUL OR DAMAGING EFFECT ON THE ENVIRONMENT.

COMPONENTS SPECIES

TEST RESULTS

CALCIUM CARBONATE (CAS 471-34-1):

AQUATIC:

△ top

PERSISTENCE AND DEGRADABILITY:

NO DATA IS AVAILABLE ON THE DEGRADABILITY OF THIS PRODUCT.

BIOACCUMULATIVE POTENTIAL:

PARTITION COEFFICIENT N-OCTANOL / WATER (LOG KOW): LPS(R\*) THERMAPLEX(R\*) MULTI-PURPOSE BEARING GREASE: >1

MOBILITY IN SOIL: NO DATA AVAILABLE.

OTHER ADVERSE EFFECTS: NONE KNOWN.

## 13. DISPOSAL CONSIDERATIONS

A top

DISPOSAL INSTRUCTIONS:

COLLECT AND RECLAIM OR DISPOSE IN SEALED CONTAINERS AT LICENSED WASTE DISPOSAL SITE. DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS.

LOCAL DISPOSAL REGULATIONS:

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.

HAZARDOUS WASTE CODE:

THE WASTE CODE SHOULD BE ASSIGNED IN DISCUSSION BETWEEN THE USER, THE PRODUCER AND THE WASTE DISPOSAL COMPANY.

WASTE FROM RESIDUES / UNUSED PRODUCTS:

DISPOSE OF IN ACCORDANCE WITH LOCAL REGULATIONS. EMPTY CONTAINERS OR LINERS MAY RETAIN SOME PRODUCT RESIDUES. THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE MANNER (SEE: DISPOSAL INSTRUCTIONS).

CONTAMINATED PACKAGING:

SINCE EMPTIED CONTAINERS MAY RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED. EMPTY CONTAINERS SHOULD BE TAKEN TO AN APPROVED WASTE HANDLING SITE FOR RECYCLING OR DISPOSAL.

## 14. TRANSPORT INFORMATION

A top

DOT: NOT REGULATED AS DANGEROUS GOODS.

IATA: NOT REGULATED AS DANGEROUS GOODS.

IMDG: NOT REGULATED AS DANGEROUS GOODS.

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: NOT APPLICABLE.

## 15. REGULATORY INFORMATION

A top

US FEDERAL REGULATIONS:

THIS PRODUCT IS A "HAZARDOUS CHEMICAL" AS DEFINED BY THE OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200.

TSCA SECTION 12(B) EXPORT NOTIFICATION (40 CFR 707, SUBPT. D): NOT REGULATED.

CERCLA HAZARDOUS SUBSTANCE LIST (40 CFR 302.4): NOT LISTED.

SARA 304 EMERGENCY RELEASE NOTIFICATION: NOT REGULATED.

OSHA SPECIFICALLY REGULATED SUBSTANCES (29 CFR 1910.1001-1050): NOT REGULATED.

SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (SARA):

HAZARD CATEGORIES:
IMMEDIATE HAZARD: YES
DELAYED HAZARD: NO
FIRE HAZARD: NO
REACTIVITY HAZARD: NO
PRESSURE HAZARD: NO

SARA 302 EXTREMELY HAZARDOUS SUBSTANCE: NOT LISTED.

SARA 311/312 HAZARDOUS CHEMICAL: YES

SARA 313 (TRI REPORTING): NOT REGULATED.

OTHER FEDERAL REGULATIONS:

CLEAN AIR ACT (CAA) SECTION 112 HAZARDOUS AIR POLLUTANTS (HAPS) LIST: NOT REGULATED.

CLEAN AIR ACT (CAA) SECTION 112(R) ACCIDENTAL RELEASE PREVENTION (40 CFR 68.130): NOT REGULATED.

SAFE DRINKING WATER ACT (SDWA): NOT REGULATED.

### US STATE REGULATIONS:

US. CALIFORNIA. CANDIDATE CHEMICALS LIST. SAFER CONSUMER PRODUCTS REGULATIONS (CAL. CODE REGS, TIT. 22, 69502.3, SUBD. (A)):
DISTILLATES PETROLEUM HYDROTREATED HEAVY (CAS 64742-54-7)
HEAVY HYDROTREATED NAPHTHENIC DISTILLATES (PETROLEUM) (CAS 64742-52-5)

## INTERNATIONAL INVENTORIES:

COUNTRY(S) OR REGION	INVENTORY NAME	ON INVENTORY (YES/NO)*
AUSTRALIA	AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS)	YES
CANADA	DOMESTIC SUBSTANCES LIST (DSL)	YES
CANADA	NON-DOMESTIC SUBSTANCES LIST (NDSL)	NO
CHINA	INVENTORY OF EXISTING CHEMICAL SUBSTANCES IN CHINA (IECSC)	YES
EUROPE	EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES (EINECS)	NO
EUROPE	EUROPEAN LIST OF NOTIFIED CHEMICAL SUBSTANCES (ELINCS)	NO
JAPAN	INVENTORY OF EXISTING AND NEW CHEMICAL SUBSTANCES (ENCS)	NO
KOREA	EXISTING CHEMICALS LIST (ECL)	YES
NEW ZEALAND	NEW ZEALAND INVENTORY	YES
PHILIPPINES	PHILIPPINE INVENTORY OF CHEMICALS	YES

UNITED STATES & PUERTO RICO

TOXIC SUBSTANCES CONTROL ACT (TSCA) YES INVENTORY

\*A "YES" INDICATES THAT ALL COMPONENTS OF THIS PRODUCT COMPLY WITH THE INVENTORY REQUIREMENTS ADMINISTERED BY THE GOVERNING COUNTRY(S)

A "NO" INDICATES THAT ONE OR MORE COMPONENTS OF THE PRODUCT ARE NOT LISTED OR EXEMPT FROM LISTING ON THE INVENTORY ADMINISTERED BY THE GOVERNING COUNTRY(S).

## 16. OTHER INFORMATION, INCLUDING DATE OF

PREPARATION OR LAST REVISION

ISSUE DATE: 01-14-2016

REVISION DATE: 09-19-2016

VERSION #: 02

#### DISCLAIMER:

ITW PRO BRANDS CANNOT ANTICIPATE ALL CONDITIONS UNDER WHICH THIS INFORMATION AND ITS PRODUCT, OR THE PRODUCTS OF OTHER MANUFACTURERS IN COMBINATION WITH ITS PRODUCT, MAY BE USED. IT IS THE USER'S RESPONSIBILITY TO ENSURE SAFE CONDITIONS FOR HANDLING, STORAGE AND DISPOSAL OF THE PRODUCT, AND TO ASSUME LIABILITY FOR LOSS, INJURY, DAMAGE OR EXPENSE DUE TO IMPROPER USE. THE INFORMATION PROVIDED IN THIS SAFETY DATA SHEET IS CORRECT TO THE BEST OF OUR KNOWLEDGE, INFORMATION AND BELIEF AT THE DATE OF ITS PUBLICATION. THE INFORMATION GIVEN IS DESIGNED ONLY AS A GUIDANCE FOR SAFE HANDLING, USE, PROCESSING, STORAGE, TRANSPORTATION, DISPOSAL AND RELEASE AND IS NOT TO BE CONSIDERED A WARRANTY OR QUALITY SPECIFICATION. THE INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS, UNLESS SPECIFIED IN THE TEXT.

REVISION INFORMATION:

HAZARD(S) IDENTIFICATION: SUPPLEMENTAL INFORMATION

MATERIAL NAME: LPS(R\*) THERMAPLEX(R\*) MULTI-PURPOSE BEARING GREASE

SDS US

2 top